JFW/1762



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:

Swoboda

CASE:

OST-051301

SERIAL NO.:

10/565,746

SUPPLEMENTAL COMMUNICATION TRANSMITTING

FILED ON:

January 23, 2006

TRANSMITTING INFORMATION

FOR:

DEVICE FOR HARDENING THE COATING OF AN OBJECT, CONSISTING OF A MATERIAL THAT HARDENS UNDER ELECTROMAGNETIC RADIATION, MORE

DISCLOSURE STATEMENT

PARTICULARLY AN UV PAINT OR A THERMALLY HARDNENING PAINT

Mail Stop: Amendment

COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, VA 22313-1450

ATTENTION OF: Not yet assigned

EXAMINER: Not yet assigned

Dear Examiner:

This Supplemental Information Disclosure Statement ("IDS") is submitted pursuant to 37 CFR § 1.56. The filing of this "information disclosure statement shall not be construed to be an admission that the information cited in the statement is, or is considered to be, material to patentability as defined in § 1.56(b)." See 37 CFR § 1.97(h).

The applicant believes that no fees are required with this communication; however, if any additional fees are required, the Commissioner is authorized to pay such fees from Deposit Account No. 50-0545.

Dated: October 17, 2006

Respectfully submitted,

CERTIFICATE OF FIRST CLASS MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1489 on October 17, 2006

22313-1480 on October 17, 2006.

acqueline Vega

Joseph M. Kinsella Jr.

Reg. No. 45,743

One of Attorneys for Applicant

FACTOR & LAKE, LTD. 1327 W. Washington Blvd Suite 5G/H Chicago, IL 60607 (312) 226-1818 Telephone (312) 226-1919 Facsimile Jody L. Factor 34157
Micheal D. Lake 33727
Edward L. Bishop 39110
Joseph M. Kinsella Jr. 45743
Nick S. Lee 54260

PTO/SB/08A (09-06)

Approved for use through 03/31/2007. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

eduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

STRANS form 1449/PTO SUPPLEMENTAL

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

| Complete if Known | | | | |
|------------------------|------------------|------|--|--|
| Application Number | 10/565,746 | ···· | | |
| Filing Date | January 23, 2006 | | | |
| First Named Inventor | Swoboda | | | |
| Art Unit | Not yet assigned | | | |
| Examiner Name | Not yet assigned | | | |
| Attorney Docket Number | OST-051301 | | | |

| | | | U. S. PATENT | | |
|-----------------------|--------------------------|--|--------------------------------|--|---|
| Examiner Initials* | Cite No. ¹ | Document Number Number-Kind Code ^{2 (f known)} | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| | | US- | | <u></u> | 1.92.007.45500. |
| | | . 05- | • | | |
| | | US- | | | |
| - | | US- | | | • |
| | <u> </u> | US- | | | |
| | | US- | | | |
| | | US- | - t | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | • | |
| | | US- | | | |
| _ | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | · · · · · · · · · · · · · · · · · · · |
| | | US- | • | | *** |
| | | US- | | | |

| | FOREIGN PATENT DOCUMENTS | | | | | |
|-----------------------|--------------------------|---|---------------------|--|---|----------------|
| Examiner Initials* | Cite No.1 | Foreign Patent Document | Publication Date | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages | |
| | | Country Code ³ Number ⁴ Kind Code ⁵ (if known) | MM-DD-YYYY | | Or Relevant Figures Appear | T ⁶ |
| /GRK/ | | DE 201 05 676 U1 | 06-28-2001 | EISENMANN FOERDER | | |
| /GRK/ | | DE 202 03 407 U1 | 06-27-2002 | THOMAS RIPPERT FA | | |
| /GRK/ | | DE 93 12 809 U1 | 12-23-1993 | HAGEDORN JOCHEN DI | | |
| /GRK/ | | DE-AS 1 097 369 | 01-12-1961. | DAIMLER BENZ AG | | |
| '/GRK/ | | CH-PS 251 961 | 11-30-1947 | FORD MOTOR CO (GB) | | |
| /GRK/ | | DE 101 53 878 A1 | 05-22-2003 | MESSER GRIESHEIM GM | | |

| Examiner | (Oppose Kash) | Date | 00/17/0010 |
|-----------|---------------|------------|------------|
| Signature | /George Koch/ | Considered | 03/1//2010 |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Skind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language

Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450.

To: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO SUPPLEMENTAL

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

| Complete if Known | | |
|------------------------|------------------|--|
| Application Number | 10/565,746 | |
| Filing Date | January 23, 2006 | |
| First Named Inventor | Swoboda | |
| Art Unit | Not yet assigned | |
| Examiner Name | Not yet assigned | |
| Attorney Docket Number | OST-051301 | |

| | U. S. PATENT DOCUMENTS | | | | | | |
|---------------------------------------|------------------------|--|--------------------------------|--|---|--|--|
| Examiner Initials* | Cite No.1 | Document Number | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | | |
| | ļ | Number-Kind Code ^{2 (If known)} | | | Figures Appear | | |
| | | US- | | | | | |
| | | US- | | | | | |
| | | US- | · | | | | |
| | | US- | | | | | |
| | | US- | | | | | |
| | | US- | | - · · · · · · · · · · · · · · · · · · · | | | |
| | | US- | | | | | |
| | | US- | | | | | |
| | | US- | | | • | | |
| | | US- | | | • | | |
| | | US- | | | | | |
| | | US- | | • | 7 | | |
| | | US- | | | | | |
| | | US- | | | | | |
| | | US- | | | | | |
| | | US- | 1 | · · · · · · · · · · · · · · · · · · · | | | |
| · · · · · · · · · · · · · · · · · · · | | . US- | | | | | |
| | | US- | | | | | |
| | | US- | | | | | |

| • | | FORE | IGN PATENT DOCU | JMENTS | | |
|--------------------|--------------|--|---------------------|--|---|------------|
| Examiner Initials* | Cite No.1 | Foreign Patent Document | Publication Date | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages | |
| | | Country Code ³ "Number ⁴ "Kind Code ⁵ (<i>if known</i>) | MM-DD-YYYY | | Or Relevant Figures Appear | T⁵ |
| /GRK/ | | DE 201 20 719 U1 | 03-13-2003 | HOENLE AG DR (DE) | | |
| /GRK/ | | DE 100 51 109 C1 | 04-25-2002 | MESSER GRIESHEIM G | | |
| | | | | • | | |
| | | | | | | |
| | | | | | | _ |
| | | | , | | | Г <u> </u> |

| I // `^^v^ \ / \ / / / / / / / / / / / / / / / / | Date Considered | 03/17/2010 |
|--|--------------------|------------|
|--|--------------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁶Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language

Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:

Swoboda

CASE:

OST-051301

SERIAL NO.:

10/565,746

FILED ON:

January 23, 2006

FOR:

DEVICE FOR HARDENING THE

COATING OF AN OBJECT, CONSISTING

OF A MATERIAL THAT HARDENS UNDER ELECTROMAGNETIC

RADIATION, MORE PARTICULARLY AN

UV PAINT OR A THERMALLY

HARDNENING PAINT

Mail Stop Amendment Commissioner For Patents P.O. Box 1450

Alexandria, VA 22313-1450

ATTENTION OF: Not yet assigned

SUPPLEMENTAL

STATEMENT OF BASIS FOR RELEVANCE OF

FOREIGN LANGUAGE DOCUMENTS IDENTIFIED

IN SUBMITTED

PTO/SB/08A

EXAMINER: Not yet assigned

39110

45743

54260

Dear Examiner:

Suite 5G/H

Chicago, IL 60607 (312) 226-1818 Telephone

(312) 226-1919 Facsimile

If any charges or fees must be paid in connection with the following communication, they may be paid out of our Deposit Account No. 50-0545.

| PUBLICATION NO. | PUBLICATION DATE | BASIS FO | OR RELEVANCE |
|---|---------------------|--|--|
| DE 201 05 676 U1 | June 28, 2001 | along each side above the mounted on support frame at the ends of pairs of suself propelled trolleys resupport arms, and the trilindependently servo drivinto the bath. The paint number of treatment bath | ven by drives that do not dip coating bath is one of a h along the paint line. The ndling system enables steep |
| FACTOR & LAKE, LTD. 1327 W. Washington | | Jody L. Factor Micheal D. Lake | 34157 33727 |

Edward L. Bishop

Nick S. Lee

Joseph. M. Kinsella Jr.

June 27, 2002 DE 202 03 407 U1 The components to be treated (19) are suspended from a conveyor (17) and are passed through an undulating tunnel (2). The components are exposed to ultra violet light, UV, and pass through a gas that is heavier than air, carbon dioxide. The gas is contained (14) is a central trough section (9). DE 93 12 809 U1 December 23, 1993 An ultraviolet-radiation system is used for drying UVlacquers and printing inks, e.g. on compact discs 4. The objects 4 to be dried are moved on a transport unit 7. In parallel to the axis of a UV-source 3, two reflectors 1, 2 are located rotably in such way that they may be positioned in an open or a closed position. The closed position is used as a protection for the objects 4 in cases where the transportation process is interrupted. DE-AS 1 097 369 January 12, 1961 A tunnel-like dryer for car bodies has infrared radiators 5, 6, 7, which are positioned at side walls 3 and ceiling 4. At the bottom 8 of the tunnel, which is built with steps, dark radiators 9 are used. Radiators 5 are positioned at an angle relative to a longitudinal axis of the tunnel. Lateral radiators 9 include an angle relative to the horizontal. This configuration ensures a uniform drying of the car bodies. CH-PS 251 961 November 30, 1947 Infrared lamps 3 in reflectors 4 are used in a dryer for objects. Infrared lamps 3 are positioned in groups, the orientation of which may be changed in order to match the actual size of the object to be dried. The orientation of each lamp in its reflector 4 may be adjusted in order to achieve a uniform spatial distribution of infrared radiation. DE 101 53 878 A1 May 22, 2003 An arrangement for radiation hardening, comprises a radiation chamber (2) with an inlet and an outlet for the component which is to have a coating hardened, and a radiation area, e.g. an electron beam or ultra violet light area. The inlet region (3) and/or the outlet region (4) is in the form of an inert gas lock (15, 16), and has an outer mangle tube and an inner mantle, with a gap between them. The annular gap has an inert gas supply connection. The inert gas is e.g. carbon dioxide, a noble gas, nitrogen, or a gas containing one of these gases.

DE 201 20 719 U1

March 13, 2003

The UV irradiation system (1) comprises a UV irradiation unit (2) and an object carrier (14) which jointly form an irradiation chamber provided with means (10, 11) respectively for introduction of carbon dioxide gas into the chamber and for evacuation of air from it.

DE 100 51 109 C1

April 25, 2002

A tower-shaped radiation chamber (4) contains the irradiation units (6, 7) in the top, with parts entrance and exit (2, 3) low down. The gas line (10) connects an inert gas source (9) to the upper section (5) of the irradiation chamber, for continuous supply. The inlet region (2) has a gas nozzle directing a jet of inert gas onto the parts (24) entering. There is an inert gas lock (13) or inert gas curtain (21) at inlet and outlet. The irradiation unit can be adjusted and fixed in its position. It exchanges data with a control point (28), permitting its adjustment in position and/or intensity and/or radiation duration, in accordance with the nature of parts to be treated.

Should anything further be required, a telephone call to the undersigned, at (312) 226-1818, is respectfully invited.

Respectfully submitted,

Dated: October 17, 2006

Jøseph M. Kinsella Jr.

Reg. No. 45,743

One of Attorneys for Applicant

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on October 17, 2006.